

MASTER CHART

Sr. No.	Name No.	Avg. days of admn.	Age/sex	Mode of injury	Side	Schatzker type	Treatment	Knee mobilized (Days)	Wt. bearing (Weeks)	Period of F/U (Months)	ROM Achieved (Degree)	Complication	Result
1	111553	8	47/F	RTA	R	III	ORIF+EV+BG Buttress P/S	10	12	24	130	-	Excellent 28
2	112236	14	72/F	RTA	R	V	ORIF+EV+ Buttress P/S	10	18	24	110	Varus <5	Good 23
3	112236	14	72/F	RTA	R	V	ORIF+CCS	5	16	24	130	-	Excellent 29
4	112582	12	36/M	RTA	L	VI	ORIF+EV+BG Buttress P/S	14	14	18	125		Excellent 27
5	113186	32	57/M	RTA	L	VI	ORIF+EV+ Buttress P/S	90	24	12	30	INF,OA	Poor 8
6	113289	8	51/F	DOM	L	II	ORIF+EV+ Buttress P/S	14	14	12	130	-	Excellent 29
7	113125	14	74/M	DOM	R	III	ORIF+EV+BG CCS	10	12	12	125	-	Excellent 27
8	114404	8	43/F	RTA	L	VI	ORIF+EV+BG Buttress P/S	14	16	14	100	pain	Fair 14
9	115002	14	75/F	DOM	R	II	ORIF+EV+ Buttress P/S	12	14	12	130	-	Excellent 28
10	115619	8	54/F	RTA	R	VI	ORIF+EV+BG Buttress P/S	10	16	12	110	Pain ,OA, Varus<5	Fair 16
11	117327	5	22/F	RTA	L	II	ORIF+EV Buttress P/S	10	14	11	140		Excellent 29
12	117308	10	58/M	RTA	L	V	ORIF+EV+ Buttress P/S	10	14	10	130	-	Excellent 27
13	118455	8	52//F	RTA	L	II	ORIF+EV+ Buttress P/S MIPPO	10	16	12	130	-	Excellent 28
14	119149	14	46/M	RTA	L	II	ORIF+EV+ Buttress P/S	8	16	11	135	-	Excellent 29
15	119273	10	54/F	RTA	L	II	ORIF+EV+ Buttress P/S	10	14	11	130	-	Excellent 28
16	120492	8	58/M	RTA	L	II	ORIF+EV+BG Buttress P/S	10	14	11	130	-	Excellent 29
17	2818835	8	30/M	RTA	L	II	ORIF+EV+ Buttress P/S	6	16	11	130	-	Excellent 28
18	2819684	3	54/f	DOM	R	I	ORIF+ CCS	3	12	10	145	-	Excellent 29
19	2820506	14	53/F	RTA	L	VI	ORIF+EV+ Buttress P/S	20	22	10	110	pain	Fair 12

MASTER CHART

Sr. No.	Name No.	Avg. days of admn.	Age/sex	Mode of injury	Side	Schatzker type	Treatment	Knee mobilized (Days)	Wt. bearing (Weeks)	Period of F/U (Months)	ROM Achieved (Degree)	Complication	Result
20	2820603	8	38/M	RTA	R	II	ORIF+EV+ Buttress P/S	10	16	10	125	collapse	Excellent 27
21	124599	20	62	RTA	L	VI	ORIF+EV+ Buttress P/S	14	24	9	110	-	Fair 15
22	113564	8	55/F	RTA	L	IV	ORIF+EV+ CCS	10	20	9	130	-	Excellent 28
23	2071363	10	57/M	RTA	L	VI	ORIF+EV+B/L Buttress P/S	14	28	9	100	INF	Poor 10
24	125517	3	31/M	RTA	R	I	ORIF+ CCS	3	10	9	145	-	Excellent 29
25	125864	8	28/M	RTA	R	II	ORIF+EV+BG Buttress P/S	5	14	8	130	-	Excellent 28
26	125947	5	35/M	RTA	R	V	ORIF+EV+ Buttress P/S	6	16	8	125	-	Excellent 27
27	126185	10	50/M	RTA	L	V	ORIF+EV MIPPO	7	10	8	120	-	Excellent 27s